



Safety Data Sheet

AQUAOX MIXED OXIDANT WATER - AX 5000

SECTION I – IDENTIFICATION

Product Name: Aquaox Mixed Oxidant Water | Product Number: AX 5000
Product Description: Mixed Oxidant Water, 0.4 – 0.5% solution, generated Electro-Chemically from Diluted Brine
Container Size: 275 Gallons 30 Gallons
5 Gallons 1 Gallon
CAS Number: None (Mixture)
Recommended Use: This product is a concentrate mixed oxidant solution for use in all water systems including drinking water systems to restore chlorine residuals and remove reaction by-products. The maximum use limit for water treatment is 1510ppm (0.15%). This product can be diluted and used on a multitude of surfaces to replace bleach.

Manufacturer: Aquaox LLC.
Address: 17355 Hamlin Blvd, Loxahatchee, FL 33470
Number: (800)-790-7520
Chemtrec Emergency Number:(800)-424-9300

SECTION II – HAZARDS IDENTIFICATION

The following values are obtained using the guidelines prepared by the National Fire Protection Association (NFPA) and the American Coatings Association.

<u>HMIS Rating:</u>	<u>NFPA/HMIS Definitions</u>
• Health = 0	0 = Minimal Hazard
• Flammability = 0	1 = Slight Hazard
• Physical = 0	2 = Moderate Hazard
• Reactivity = 0	3 = Serious Hazard
	4 = Severe Hazard

Personal Protection Index: B (Eye Protection and Gloves)

Hazard Information Disclosures:

TSCA: All chemicals in this product are listed on the EPA TSCA inventory list.
CERCLA / SARA: This product does not fall under any hazardous categories under SARA Sections 311 and 312.
OSHA: This product is not a hazardous chemical as defined by the OSHA Hazard Communication Standard, 29 CFR § 1910.1200.

Safety Data Sheet

AQUAOX MIXED OXIDANT WATER - AX 5000

Product Label on Hazard Information:



WARNING
Harmful if Ingested
Irritant (Skin and Eye)
Cause Irritation to Mucous Membranes and Respiratory Tract
if Prolonged or Repeated Inhalation

**Handle with Gloves and Safety Glasses
Wash Hands after Handling Product
Keep out of Reach of Children**

SECTION III – COMPOSITION AND INFORMATION ON INGREDIENTS

Component(s)	CAS #
Water	7732-18-5
Hypochlorous Acid	7790-92-3
Sodium Hypochlorite	7681-52-9
Sodium Chloride	7647-14-5

The product contains approximately 5000ppm free available chlorine (FAC).

SECTION IV – FIRST-AID MEASURES

Skin Contact: In case of contact, flush with plenty of water. Cold water may be used. Wash clothing before reuse. Seek medical attention if skin irritation occurs.

Eye Contact: Check for and remove any contact lenses. Flush eyes with running water for at least 15 minutes with eyelids open. Cold water may be used. Seek medical attention if eye irritation occurs.

Inhalation: If inhaled, remove to fresh air. Seek medical attention if not breathing or breathing is difficult.

Ingestion: If swallowed, rinse mouth with water and drink plenty of fluids. Seek medical attention if discomfort occurs.

SECTION V – FIRE-FIGHTING MEASURES

Not Applicable, this product is Non-Flammable and Non-Explosive. No extinguishing techniques or equipment are required.

SECTION VI – ACCIDENTAL RELEASE MEASURES

In case of spill or leakages, dike spill with inert absorbent materials (e.g. sand, “oil-dry” or other commercially spill absorbents) to contain and soak spilled liquid. Place wastes into an appropriate waste disposal container.

Safety Data Sheet

AQUAOX MIXED OXIDANT WATER - AX 5000

SECTION VII – HANDLING AND STORAGE

- Handling: No special handling requirements; follow use instructions on product label. Open air or good room ventilation and appropriate PPE are adequate for the safe use of this product.
- Storage: Keep container tightly closed in a dry and well-ventilated place at room temperature. Avoid light exposure, freezing and heat.

SECTION VIII – EXPOSURE CONTROLS AND PERSONAL PROTECTION

- OSHA PEL: Unknown.
Cal/OSHA PEL: Unknown.
NIOSH REL: Unknown.
ACGIH TLV: Unknown.

Engineering Control: None Required. Open air or good room ventilation is adequate for the safe use of this product.

Personal Protective Equipment (PPE):

- Protective Clothing: Wear proper personal protective equipment and clothing to care for spill situation. Product can bleach clothing, equipment and furniture.
- Hand Protection: Handle with gloves; use rubber, neoprene, or other chemically impervious gloves when handling this product.
- Eye Protection: Wear safety glasses when handling this product.

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Clear
Odor:	Slight Chlorine Odor
pH:	8.0 – 9.5
Specific Gravity (H ₂ O = 1 at 20°C):	1.06 – 1.08
Viscosity:	Comparable to Water
Boiling Point:	Comparable to Water
Melting Point / Range:	NA
Evaporation Rate:	Comparable to Water
Solubility:	Complete in Water
Flash Point:	NA
Flammability:	Non-Flammable
Explosive Limits:	Non-Explosive
Vapor Pressure (mmHg @ 20°C):	NA
Vapor Density:	NA

Safety Data Sheet

AQUAOX MIXED OXIDANT WATER - AX 5000

SECTION X – STABILITY AND REACTIVITY

Reactivity:	Not Reactive under recommended handling and storage conditions.
Chemical Stability:	Stable under recommended handling and storage conditions.
Hazardous Reactions:	Product is Not Hazardous.
Conditions to Avoid:	Direct light exposure, freezing and heat.
Materials to Avoid	Strong oxidizing agents, strong acids and organic materials.
Hazardous Decomposition Products:	May form under fire conditions; nature of decomposition products is unknown.
Hazardous Polymerization	Will not occur.

SECTION XI – TOXICOLOGICAL INFORMATION

Route of Entry / Exposure: Skin Contact
Eye Contact
Inhalation
Ingestion

Potential Acute Health Effects:

Skin Contact: Depending on the degree of unprotected contact and individual sensitivity with the product, skin contact may cause irritation, redness, rash and itchiness.

Eye Contact: Depending on the duration and individual sensitivity with the product, unprotected eye contact may cause moderate eye irritation, pain, redness, watering and itchiness.

Inhalation: Excessive, prolonged or repeated inhalation may cause irritation to mucous membranes and upper respiratory tract.

Ingestion: This product may be harmful if ingested. Depending on the amount swallowed, ingestion may cause irritation to mouth, throat, stomach and gastrointestinal tract.

Potential Chronic Health Effects:

Carcinogenic Effects: Not Applicable.

Mutagenic Effects: Not Applicable.

Teratogenic Effects: Not Applicable.

Developmental: Not Applicable.

Numerical Measures of Toxicity: Unknown.

SECTION XII – ECOLOGICAL INFORMATION

Product presents no hazards to the environment. Product is bio-degradable and eco-friendly.

SECTION XIII – DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable Federal, State and Local regulations. Always contact a licensed disposal company to assure compliance.

Safety Data Sheet

AQUAOX MIXED OXIDANT WATER - AX 5000

SECTION XIV – TRANSPORT INFORMATION

DOT: Not DOT regulated. No DOT label required.
IATA: Not dangerous good.
IMDG: Not dangerous good
OSHA: No label required.

SECTION XV – REGULATORY INFORMATION

See “Hazard Information Disclosures” under Section II.

SECTION XVI – OTHER INFORMATION

Preparation Date of Latest Revision: February 11, 2021

Disclaimer:

This Safety Data Sheet (SDS) was prepared in accordance with the provisions and requirements of 29 CFR § 1910.1200(g) and discloses the physical and health hazards of all hazardous chemicals contained in the product described in this SDS. Unless otherwise noted, this SDS does not describe or disclose all of the chemicals/components in the product, some of which may be Trade Secrets.

The information included in this SDS is based on data developed or compiled by Aquaiox from open literature, independent laboratory studies, and other available scientific evidence, and is believed to be accurate and complete to the best of our knowledge. However, Aquaiox makes no warranty with respect thereto. Anyone intending to use the product described in this SDS should satisfy herself that the Product (1) is suitable for their particular purposes and intended uses, and (2) meets any safety and health standards applicable thereto. It is the obligation of each user of the product described in this SDS to determine and comply with all statutes, local, state and federal requirements, which are applicable to its use, storage and disposal.

Abbreviations:

ACGIH: American Conference of Industrial Hygienists
CAL/OSHA: California Division of Occupational Safety and Health
CAS Number: Chemical Abstracts Service Register Number
CERCLA: Comprehensive Environmental Response Compensation and Liability Act
DOT: Department of Transportation
EPA: Environmental Protection Agency
GRAS: Generally Recognized as Safe
HMIS: Hazardous Materials Identification System
IATA: International Air Transport Association
IMDG: International Maritime Dangerous Goods
NA: Not Applicable
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety and Health Administration
PEL: Permissible Exposure Limits
REL: Recommended Exposure Limits
SARA: Superfund Amendment and Reauthorization Act of 1986
TLV: Threshold Limit Values
TSCA: Toxic Substances Control Act of 1976